

In car entertainment

Audio

Clarion non genuine Audio range

- All Clarion units are with regard to specification & features, etc. in line with the Aftermarket product available from those suppliers.
- To install the audio units in Nissan vehicles, NENV has made available the required harnesses (S10 / NS16) to enable a quick and quality installation.
- Technical support, service and warranty is supported through the national Clarion Distributors, a standard warranty of one year is applicable, extended arrangements should remain valid.
- 1 DIN is upper opening.
- 2 DIN opening only for selected range of vehicles (CA33, D22, T30 & Y61).

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/cassette AB213R	KE281-89015	9	R	96B	NL	115.24	04/'01

RADIO: Wave-bands: FM/MW/LW • 25 Preset stations: 20FM, 5MW/LW • Auto store • LO/DX • RDS
 CASSETTE: Auto reverse mechanism
 AUDIO: Maximum output: 4 x 40W • Speakers: 2/4 • Bass/Treble control
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Display colour: amber • Connector: ISO type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/cassette AB213RG	KE281-89016	9	R	96B	NL	115.24	04/'01

RADIO: Wave-bands: FM/MW/LW • 25 Preset stations: 20FM, 5MW/LW • Auto store • LO/DX • RDS
 CASSETTE: Auto reverse mechanism
 AUDIO: Maximum output: 4 x 40W • Speakers: 2/4 • Bass/Treble control
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Display colour: (pure) green • Connector: ISO type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/cassette AX413R	KE281-89013	9	R	96B	NL	178.99	04/'01

RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY
 CASSETTE: Full logic cassette mechanism • Auto reverse • Auto tape selector
 CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles
 AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute
 ANTI THEFT SYSTEM: Removeable front panel (with case)
 OTHERS: • Display colour: switchable white/blue • C-bus type • Connector: ISO type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

In car entertainment

Audio

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/cassette AX413RB	KE281-89014	9	R	96B	NL	197.71	04/01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CASSETTE: Full logic cassette mechanism • Auto reverse • Auto tape selector CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: blue • C-bus type • Connector: ISO type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							
Application	Specification	Countries	From	Until	Other Information	Fitting Time	
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20	



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/cassette AX513R	KE281-89012	9	R	96B	NL	224.84	04/01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CASSETTE: Full logic cassette mechanism • Auto reverse • Auto tape selector CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: switchable white/blue • C-bus type • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							
Application	Specification	Countries	From	Until	Other Information	Fitting Time	
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20	



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/cassette AXZ613R	KE281-89011	9	R	96B	NL	276.35	04/01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CASSETTE: Full logic cassette mechanism • Auto reverse • Auto tape selector • Dolby B CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles • CD text AUDIO: Maximum output: 4 x 50 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: switchable 3 colours • CeNET-bus type • Connector: ISO type • Remote control included • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							
Application	Specification	Countries	From	Until	Other Information	Fitting Time	
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20	



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DB318R	KE281-89008	9	R	96B	NL	183.29	04/01
RADIO: Wave-bands: FM/MW/LW • 25 Preset stations: 20FM, 5MW/LW • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter AUDIO: Maximum output: 4 x 45 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Display colour: amber • Connector: ISO type							
Application	Specification	Countries	From	Until	Other Information	Fitting Time	
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20	



In car entertainment

Audio

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DB318RB	KE281-89010	9	R	96B	NL	183.29	04/01
RADIO: Wave-bands: FM/MW/LW • 25 Preset stations: 20FM, 5MW/LW • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter AUDIO: Maximum output: 4 x 45 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Display colour: blue • Connector: ISO type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DB318RG	KE281-89023	9	R	96B	NL	183.29	04/01
RADIO: Wave-bands: FM/MW/LW • 25 Preset stations: 20FM, 5MW/LW • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter AUDIO: Maximum output: 4 x 45 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Display colour: (pure) green • Connector: ISO type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player BD319R	KE281-89009	9	R	96B	NL	183.29	04/01
RADIO: Wave-bands: FM/MW/LW • 25 Preset stations: 20FM, 5MW/LW • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter AUDIO: Maximum output: 4 x 45 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Display colour: amber • Connector: ISO type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player BD319RG	KE281-89024	9	R	96B	NL	183.29	04/01
RADIO: Wave-bands: FM/MW/LW • 25 Preset stations: 20FM, 5MW/LW • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter AUDIO: Maximum output: 4 x 45 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Display colour: (pure) green • Connector: ISO type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

In car entertainment

Audio

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DX418R	KE281-89007	9	R	96B	NL	225.85	04/01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter • CD singles CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles AUDIO: Maximum output: 4 x 45 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: switchable white/blue • C-bus type • Connector: ISO type • Remote control optional • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DX518R	KE281-89006	9	R	96B	NL	265.51	04/01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter • CD singles CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles AUDIO: Maximum output: 4 x 45 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: switchable white/blue • C-bus type • Connector: ISO type • Remote control optional • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DXZ618R	KE281-89005	9	R	96B	NL	337.94	04/01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter • CD singles • CD text CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles AUDIO: Maximum output: 4 x 50 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: 3 • CeNET-bus type • Connector: ISO type • Remote control included • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

In car entertainment

Audio

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DXZ718R	KE281-89004	9	R	96B	NL	433.36	04/'01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 24-Bit D/A converter • CD singles • CD text CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles AUDIO: Maximum output: 4 x 5 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute • 6-channel (G) RCA line out ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: 3+gradation • CeNET-bus type • Connector: ISO lead type • Remote control included • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DXZ818RMP	KE281-89002	9	R	96B	NL	668.66	07/'01
RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY CD: 8 x Oversampling • 1-Bit D/A converter • CD singles CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles AUDIO: Maximum output: 4 x 5 W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute • 6-channel (G) RCA line out ANTI THEFT SYSTEM: Removeable front panel (with case) OTHERS: • Display colour: 3+gradation • CeNET-bus type • Connector: ISO lead type • Remote control included • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/CD player DRX960Rz	KE281-89003	9	R	96B	NL	776.84	04/'01
RADIO: RDS-Pro FM / MW / LW tuner • 24 Stations memory (FM/AM) • Auto store • Preset scan CD: CD mechanism (Neo CD) • 24 Bit DAC, 8x Oversampling • Digitalfilter • 0-Bit detector mute • Title programming function CD/MD MANAGEMENT: CD- and MD-Changer control (with title input and list play) • Full DAB-BB control • DSP-BB control • TV tuner control AUDIO: 6 x 4 Volt RCA Line out • Z-Enhancer (adjustable) • Digital out for CD OTHERS: 64 color Full Dot LCD • (SFL illuminated, contrast adjustable) • Screen saver, moving characters • Dimmer with photo cell • Slope console with angle • adjustment • Phone interrupt and link (requires CeNET Link box) • Easy remote controller • Full detachable control panel • Blink LED • CeNET bus type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964							



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

In car entertainment

Audio

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
2-DIN CD+Cass. ADX5655Rz	KE281-89001	9	R	96B	NL	594.87	04/01

RADIO: RDS-Pro FM / MW / LW tuner • 24 Stations memory (FM/AM) • Auto store • Preset scan
 CASSETTE: Full logic autoreverse mechanism • Double gutter Permalloy head •
 Dolby® B noise reduction • Title search and repeat • Blank skip function
 CD: New CD mechanism (Neo CD) • 1 Bit DAC, 8x Oversampling • Digital filter •
 Title programming function
 CD/MD MANAGEMENT: CD- and MD-Changer control • Easy DAB-BB control •
 TV tuner control
 AUDIO: 4x40 Watt power output • 2 RCA Line out
 OTHERS: Large multi colour LCD with • Stereo spectrum analyzer • SFL LCD illumination • Phone interrupt • Easy remote controller • CATS Code security • ISO connector

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 2 DIN opening D22 & CA33	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/Mini Disc player MX418R	KE281-89021	9	R	96B	NL	386.41	04/01

RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY
 MINIDISC: 8 x Oversampling • 1-Bit D/A converter • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc
 CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc
 AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute • 2-channel (ni) RCA line out
 ANTI THEFT SYSTEM: Removeable front panel (with case)
 OTHERS: • Key illumination colour: switchable white/blue • C-bus type • Connector: ISO type • Remote Control included

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Radio/Mini Disc player MXZ718R	KE281-89020	9	R	96B	NL	585.53	04/01

RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY
 MINIDISC: 8 x Oversampling • 24-Bit D/A converter • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc
 CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD text
 AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute • 6-channel (G) RCA line out
 ANTI THEFT SYSTEM: Removeable front panel (with case)
 OTHERS: • Key illumination colour: switchable 3 colours • CeNET-bus type • Connector: ISO lead type • Remote Control included

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		20

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
CD changer CDC634	KE281-89019	9	R	96B	NL	196.79	04/01

• Ultra compact 6 CD Changer • Half loading magazine system • Holographic Laser Pick up • C-bus Compatible • High vibration safety • Dual 1-Bit D/A converter • 8-times Oversampling

Application	Specification	Countries	From	Until	Other Information	Fitting Time
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		30



In car entertainment

Audio

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
CD changer CDC655Tz	KE281-89018	9	R	96B	NL	251.75	04/01
<ul style="list-style-type: none"> CeNET bus type Ultra compact 6 CD Changer Half loading magazine system CD-Text function Holographic Laser Pick up Ce NET termination unit Ce NET address selector High vibration safety Optical output 							
Application	Specification	Countries	From	Until	Other Information	Fitting Time	
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		30	



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
CD changer CDC1255z	KE281-89017	9	R	96B	NL	328.71	04/01
<ul style="list-style-type: none"> CeNET bus type 12 CD Changer 2 magazine system Holographic Laser Pick up Ce NET termination unit Ce NET address selector Optical output 							
Application	Specification	Countries	From	Until	Other Information	Fitting Time	
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		30	



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
R/C + CD changer (CDC 634) PAC413	KE281-89022	9	R	96B	NL	468.96	04/01
<p>Radio/cassette player:</p> <p>RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Preset scan • Auto store • LO/DX • RDS/PTY</p> <p>CASSETTE: Full logic cassette mechanism • Auto reverse • Auto tape selector</p> <p>CD/MD Management: Track music search • Audible FF/FB • Intro music scan • Repeat track/disc • Random play track/disc • CD singles</p> <p>AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Electronic controls: Volume/Bass/Treble • Loudness • Telephone mute</p> <p>ANTI THEFT SYSTEM: Removeable front panel (with case)</p> <p>OTHERS: • Display colour: switchable white/blue • C-bus type • Connector: ISO type</p> <ul style="list-style-type: none"> Harness for vehicles with NS16 connection: B8375-89961 Harness for vehicles with S10 connection: B8375-89964 <p>CD-changer:</p> <ul style="list-style-type: none"> Ultra compact 6 CD Changer Half loading magazine system Holographic Laser Pick up C-bus Compatible High vibration safety Dual 1-Bit D/A converter 8-times Oversampling 							
Application	Specification	Countries	From	Until	Other Information	Fitting Time	
General	For 1 DIN opening	Fra, Ger, Hol, Ita, Spa, Swi & UK	-	-		60	

