

# Exterior

# Wheels

## Family road wheels

- Exclusive Nissan design and/or design standards.
- Including nuts and ornament / centre cap.
- All family road wheels are TÜV approved and have ABE.
- Wheels are single packed.


Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Atlas 14"</b>	KE409-72B85	9	E	TMB	CZ	129.40	04/98
• 5-double spoke • 14 x 5J O/S 45 • With centre cap							
Application	Specification	Countries	From	Until	Remarks	Fitting Time	
K11E	-	All	02/98	07/00	• Tyre size: 165/60R14 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-0N485-S1	15	

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Cosmic 14"</b>	KE409-72B90	9	E	TMB	CZ	122.60	04/98
• 5-spoke • 14 x 5J O/S 45 • With ornament, soft.							
Application	Specification	Countries	From	Until	Remarks	Fitting Time	
K11E	-	All	02/98	-	• Tyre size: 165/60R14 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-0N490-S1	15	

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aquarius 13"</b>	KE409-51B65	9	E	TMB	CZ	109.00	03/95
• 8-double spoke • 13 x 5.5J O/S 38							
Application	Specification	Countries	From	Until	Remarks	Fitting Time	
K11E	-	All	08/92	07/00	• Tyre size: 155/70R13, 165/65R13, 175/60R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15	
N14	Non GTI	All	10/90	07/95	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15	
Y10	-	All	11/90	01/98	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15	



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Polaris 13"</b>	KE409-51B70	9	E	TMB	CZ	109.00	02/96
• 5-spoke • 13 x 5.5J O/S 38							
Application	Specification	Countries	From	Until	Remarks	Fitting Time	
K11E	-	All	08/92	07/00	• Tyre size: 155/70R13, 165/65R13, 175/60R13 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15	
N14	-	All	10/90	07/95	• Tyre size: 175/70R13, 185/65R13, 155/R13 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15	
Y10	-	All	11/90	01/98	• Tyre size: 175/70R13, 185/65R13, 155/R13 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15	



# Exterior

# Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aurora 13"</b>	KE409-51B60	9	E	TMB	CZ	109.00	03/95
• 6-spoke • 13 x 5.5J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>K11E</b>	-	All	08/92	07/00	• Tyre size: 155/70R13, 165/65R13, 175/60R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>N14</b>	-	All	10/90	07/95	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>Y10</b>	-	All	11/90	01/98	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Equator 13"</b>	KE409-51B80	9	E	TMB	CZ	109.00	04/96
• 6-spoke • 13 x 5.5J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>K11E</b>	-	All	08/92	-	• Tyre size: 155/70R13, 165/65R13, 175/60R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>N14</b>	-	All	10/90	07/95	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>Y10</b>	-	All	11/90	01/98	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Quartz 14"</b>	KE409-1F595	9	E	TMB	CZ	113.00	08/99
• 4-spoke • 14 x 5J O/S 45							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>K11E</b>	-	All	02/98	-	• Tyre size: 165/60R14 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Zenith 14"</b>	KE409-1F530	9	E	TMB	CZ	113.00	08/99
• 6-spoke • 14 x 5J O/S 45							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>K11E</b>	-	All	02/98	-	• Tyre size: 165/60R14 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Topaz 14"</b>	KE409-1F540	9	E	TMB	DE	122.52	08/00
• 7-spoke • 14 x 5J O/S 45							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>K11E</b>	-	All	07/00	-	• Tyre size: 165/60R14 • Lockable wheel nuts: KE409-89927 • Centre cap: 40342-9F500	15

# Exterior

# Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aquarius 14"</b>	KE409-60C65	9	E	TMB	CZ	129.40	03/95
• 8-double spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N14</b>	Non GTI	All	10/90	07/95	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>N15</b>	Non GTI	All	05/95	01/00	• Tyre size: 175/65R14, 185/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>Y10</b>	-	All	11/90	01/98	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>B13</b>	Non GTI	All	10/90	10/94	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aquila 14"</b>	KE409-60C75	9	E	TMB	CZ	129.40	04/96
• 6-double spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N14</b>	Non GTI	All	10/90	07/95	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>N15</b>	Non GTI	All	05/95	01/00	• Tyre size: 175/65R14, 185/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>Y10</b>	-	All	11/90	-	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>B13</b>	Non GTI	All	10/90	10/94	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Atlas 14"</b>	KE409-0N485	9	E	TMB	CZ	129.40	04/98
• 5-double spoke • 14 x 6J O/S 40 • With centre cap							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N15</b>	Non GTI	All	05/95	01/00	• Tyre size: 175/65R14, 185/65R14 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-0N485-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Cosmic 14"</b>	KE409-0N490	9	E	TMB	CZ	113.50	05/98
• 5-spoke • 14 x 6J O/S 40 • With ornament, soft.							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N15</b>	Non GTI	All	05/95	01/00	• Tyre size: 175/65R14, 185/65R14 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-0N490-S1	15

# Exterior

# Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aquarius 13"</b>	KE409-0N065	9	E	TMB	CZ	109.00	06/95
• 8-double spoke • 13 x 5.5J O/S 35							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N15</b>	Non GTI	All	05/95	12/97	<ul style="list-style-type: none"> <li>• Tyre size: 175/70R13</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aquila 13"</b>	KE409-0N075	9	E	TMB	CZ	109.00	02/96
• 6-double spoke • 13 x 5.5J O/S 35							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N15</b>	Non GTI	All	05/95	12/97	<ul style="list-style-type: none"> <li>• Tyre size: 175/70R13</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Polaris 13"</b>	KE409-0N070	9	E	TMB	CZ	109.00	02/96
• 5-spoke • 13 x 5.5J O/S 35							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N15</b>	Non GTI	All	05/95	12/97	<ul style="list-style-type: none"> <li>• Tyre size: 175/70R13</li> <li>• Lockable wheel nuts: KE409-89912</li> <li>• Centre cap: KE409-60C70-S1</li> </ul>	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aurora 13"</b>	KE409-0N060	9	E	TMB	CZ	109.00	06/95
• 6-spoke • 13 x 5.5J O/S 35							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N15</b>	Non GTI	All	05/95	01/00	<ul style="list-style-type: none"> <li>• Tyre size: 175/70R13</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aurora 14"</b>	KE409-60C60	9	E	TMB	CZ	129.40	03/95
• 6-spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N14</b>	Non GTI	All	10/90	07/95	<ul style="list-style-type: none"> <li>• Tyre size: 185/60R14, 175/65R14, 195/55R14</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15
<b>N15</b>	Non GTI	All	05/95	01/00	<ul style="list-style-type: none"> <li>• Tyre size: 175/65R14, 185/65R14</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15
<b>Y10</b>	-	All	11/90	-	<ul style="list-style-type: none"> <li>• Tyre size: 185/60R14, 175/65R14, 195/55R14</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15
<b>B13</b>	Non GTI	All	10/90	10/94	<ul style="list-style-type: none"> <li>• Tyre size: 185/60R14, 175/65R14, 195/55R14</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15

# Exterior

# Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Equator 13"</b>	KE409-0N380	9	E	TMB	CZ	109.00	04/96
• 6-spoke • 13 x 5.5J O/S 35							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N15</b>	Non GTI	All	05/95	12/97	• Tyre size: 175/70R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Equator 14"</b>	KE409-0N480	9	E	TMB	CZ	127.10	04/96
• 6-spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N14</b>	Non GTI	All	10/90	07/95	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>N15</b>	Non GTI	All	05/95	01/00	• Tyre size: 175/65R14, 185/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>Y10</b>	-	All	11/90	-	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>B13</b>	Non GTI	All	10/90	10/94	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Twist 16"</b>	KE409-9F536	9	E	TMB	DE	163.40	02/00
• 10-spoke • 16 x 7J O/S 40							

\* Recommended tyres N16(E), P11E/WP11(for 195/55 R16 87 tyre only):  
Dunlop - SP 3000A

\*\* Approved tyres - P11E/WP11(for 205/50 R16 tyre only):  
Continental - EcoContact CP  
Pirelli - P5000 DRAGO/P6000/P7000  
Bridgestone - S-02 Pole Position  
Dunlop - SP Sport 800 / SP Sport 9000  
Firestone - FHSZ  
Michelin - MXX3 / SX GT  
Toyo - Proxes / T1 plus

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N16(E)</b>	ABE	All	01/00	-	• Tyre size: 195/50R16 84 (not for Diesel), 195/55R16 87* (all engines) • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1 ¶ Except for Sedan fitted with 14" OE wheels	15
<b>P11E</b>	ABE	All	06/99	-	• Tyre size: 195/55R16 87*, 205/50R16** • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15
<b>WP11</b>	ABE	All	06/99	-	• Tyre size: 195/55R16 87*, 205/50R16** • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Crystal 15"</b>	KE409-BM545	9	E	TMB	DE	127.00	11/00
• 6-spoke • 15 X 6J O/S 45							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N16(E)</b>	-	All	01/00	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-BM545-S1	15

Exterior

Wheels

P11E	-	All	06/99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-BM545-S1	15
WP11	-	All	06/99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-BM545-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Aquila 13"	KE409-51B75	9	E	TMB	CZ	109.00	02/96
• 6-double spoke • 13 x 5.5J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
K11E	-	All	09/92	07/00	• Tyre size: 155/70R13, 165/65R13, 175/60R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
N14	-	All	10/90	07/95	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
Y10	-	All	11/90	01/98	• Tyre size: 175/70R13, 185/65R13, 155R13 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Polaris 14"	KE409-60C70	9	E	TMB	CZ	129.40	02/96
• 5-spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
N14	Non GTI	All	10/90	07/95	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15
N15	Non GTI	All	05/95	01/00	• Tyre size: 175/65R14, 185/65R14 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15
Y10	-	All	11/90	-	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15
B13	Non GTI	All	10/90	10/94	• Tyre size: 185/60R14, 175/65R14, 195/55R14 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Aquarius 14"	KE409-70J65	9	E	TMB	CZ	129.40	03/95
• 8-double spoke design • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
P10E	-	All	06/90	06/96	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
P11E	Non GTI	All	06/96	09/97	• Tyre size: 175/70R14, 185/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
W10	-	All	07/90	02/98	• Tyre size: 195/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Exterior

Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aquila 14"</b>	KE409-70J75	9	E	TMB	CZ	129.40	04/96
• 6-double spoke design • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>P10E</b>	-	All	06/90	06/96	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>P11E</b>	Non GTI	All	06/96	09/97	• Tyre size: 175/70R14, 185/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>W10</b>	-	All	07/90	02/98	• Tyre size: 195/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Polaris 14"</b>	KE409-70J70	9	E	TMB	CZ	129.40	02/96
• 5-spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>P10E</b>	-	All	06/90	06/96	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15
<b>P11E</b>	Non GTI	All	06/96	09/97	• Tyre size: 175/70R14, 185/65R14 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15
<b>W10</b>	-	All	07/90	02/98	• Tyre size: 195/65R14 • Lockable wheel nuts: KE409-89912 • Centre cap: KE409-60C70-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aurora 14"</b>	KE409-70J60	9	E	TMB	CZ	129.40	03/95
• 6-spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>P10E</b>	-	All	06/90	06/96	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>P11E</b>	Non GTI	All	06/96	09/97	• Tyre size: 175/70R14, 185/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>W10</b>	-	All	07/90	02/98	• Tyre size: 195/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Atlas 15"</b>	KE409-4F585	9	E	TMB	CZ	135.00	08/98
• 5-double spoke • 15 x 6J O/S 45 • With centre cap							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>P11E</b>	-	All	06/96	06/99	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-0N485-S1	15
<b>WP11</b>	-	All	02/98	06/99	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-0N485-S1	15

Exterior

Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Cosmic 15"</b>	KE409-4F590	9	E	TMB	CZ	135.00	04/98
• 5-spoke • 15 x 6J O/S 45 • With ornament, soft.							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N16(E)</b>	-	All	01/00	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-0N490-S1	15
<b>P11E</b>	-	All	06/96	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-0N490S1	15
<b>WP11</b>	-	All	02/98	06/99	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-0N490S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Equator 14"</b>	KE409-2F480	9	E	TMB	CZ	127.10	04/96
• 6-spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>P10E</b>	-	All	06/90	06/96	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>P11E</b>	-	All	06/96	09/97	• Tyre size: 175/70R14, 185/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>W10</b>	-	All	07/90	02/98	• Tyre size: 195/65R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Equator 15"</b>	KE409-4F580	9	E	TMB	CZ	135.00	10/96
• 6-spoke • 15 x 6J O/S 45							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>P11E</b>	-	All	06/96	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15
<b>WP11</b>	-	All	02/98	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Zenith 15"</b>	KE409-9F530	9	E	TMB	CZ	127.00	07/99
• 6-spoke • 15 x 6J O/S 45							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N16(E)</b>	-	All	01/00	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15
<b>P11E</b>	ABE	All	06/99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15
<b>WP11</b>	ABE	All	06/99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15



# Exterior

# Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Quartz 15"</b>	KE409-9F595	9	E	TMB	CZ	127.00	07/99
• 4-spoke • 15 x 6J O/S 45							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>N16(E)</b>	-	All	01/00	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15
<b>P11E</b>	ABE	All	06/99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15
<b>WP11</b>	ABE	All	06/99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927 • Centre cap: KE409-9F530-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Atlas 15"</b>	KE409-40U85	9	E	TMB	CZ	140.70	08/98
• 5-double spoke • 15 x 6.5J O/S 40 • With centre cap							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>A32</b>	-	All	10/94	01/00	• Tyre size: 195/65R15, 205/65R15 • Lockable wheel nuts: KE409-89917 • Centre cap: KE409-9F630-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Emerald 15"</b>	KE409-BU050	9	E	TMB	DE	127.00	08/00
• 10-spoke • 15 x 7J O/S 45 • Recommended tyres: Dunlop, Fulda, Semperit, Pirelli, Uniroyal, Bridgestone (H/V/Z), Continental (H/V/Z), Goodyear (H/V/Z), Kleber C651 (H/V), Krisalp TM+S, Toyo (H/V/Z), Goodyear Eagle GW (M+S), Michelin MXV2 (H/V) / MXV3A (H/V) / MXV3A Energy / XM+S100 (T) / XM+S130 (T), Uniroyal MS*plus3 / MS*plus44, Yokohama A509 / S760 / S480 (M+S)							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>V10M</b>	-	All	05/00	-	• Tyre size: 185/65R15, 195/65R15 • Lockable wheel nuts: KE409-89927 (closed type) • Centre cap: KE409-9F530-S1	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Graphite 16"</b>	KE409-8H355	9	E	TMB	IT	165.00	04/00
• 5-spoke • 16 x 6.5J O/S 40 • With ornament							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>V10M</b>	-	All	05/00	-	• Tyre size: 205/55 R16 • Lockable wheel nuts: KE409-89927 (closed type) • Max. wheel load: 625 kg. • Centre cap: 40342-9F500	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aurora 14"</b>	KE409-19C60	9	E	TMB	CZ	129.40	03/95
• 6-spoke • 14 x 6J O/S 38							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>C23M</b>	Serena with independent rear suspension	All	07/92	-	• Tyre size: 195/70R14 • Lockable wheel nuts: KE409-89922 • Centre cap: KE409-60C60-S1	15

# Exterior

# Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
<b>Aurora 14"</b>	KE409-29C60	9	E	TMB	CZ	127.10	03/95
• 6-spoke • 14 x 6J O/S 25							

Application	Specification	Countries	From	Until	Remarks	Fitting Time
<b>C23M</b>	Serena with rigid rear axle	All	07/92	-	<ul style="list-style-type: none"> <li>• Tyre size: 175R14</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15
<b>C23M</b>	Vanette E	All	06/96	-	<ul style="list-style-type: none"> <li>• Tyre size: 175R14</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15
<b>C23M</b>	Vanette Cargo	All	12/94	06/96	<ul style="list-style-type: none"> <li>• Tyre size: 175R14</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15
<b>C23M</b>	Vanette Cargo	All	06/96	-	<ul style="list-style-type: none"> <li>• Tyre size: 185/75R14C</li> <li>• Lockable wheel nuts: KE409-89922</li> <li>• Centre cap: KE409-60C60-S1</li> </ul>	15