



Exterior

Towing

Fixed Towbars

- Steel towbar with protective paint layer.
- Detailed installation manual in 5-7 languages with drawings.
- Installation time is excluding towbar electrical kit.
- The mentioned maximum towing capacity (Tow. Cap) is mentioned in kilos and is valid for the towbar itself.
- Please refers to the vehicle specification for the appropriate maximum towing capacity of the vehicles.
- The towbar is equipped with a fixed (bolted or welded) ball coupling.
- Appr. = Approval: according Euro (94/20/EC), ISO or TUV.
- Towing Capacity and Vertical load: [kg]. Fitting times: [min].



Model	Specification	Country	From	Until	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Remarks	Fitting Time	Other Information
K10	All versions	All, ex. GER	-	-	KE500-06B10	9	F	95E	NL	110.20	• Towing capacity: 750 kg • Approved: ISO • Vertical load: 50 kg	60	• Additional bracket for super S : KE500-08B25 • 12/83 - 11/92
K10	All versions	GER	11/88	11/92	KE500-06B07DS	9	F	95E	DE	290.80	• Towing capacity: 1135 kg • Approved: TUV • Vertical load: 50 kg	-	-
K11E	All versions	All, ex. GER	08/92	02/98	KE500-72B10	9	F	95E	NL	124.00	• Towing capacity: 750 kg • Approved: ISO • Vertical load: 50 kg	120	-
K11E	All versions	GER	08/92	02/98	KE500-72B10	9	F	95E	NL	124.00	Towing capacity: 1150 kg Approved: TUV Vertical load: 50 kg	120	-
K11E	Petrol versions	All	02/98	-	KE500-72B10	9	F	95E	NL	124.00	Towing capacity: 1150 kg Approved: EURO Vertical load: 50 kg	30-45	-
K11E	TD15 with power steering	All	-	-	KE500-72B10	9	F	95E	NL	124.00	Towing capacity: 1150 kg Approved: EURO Vertical load: 50 kg	30-45	• Cooling pipe (P# 49720-6F820) is required
K11E	TD15 with power steering	All	-	-	49720-6F820	9	F	95G	GB	23.20		60	• Cooling pipe for KE500-72B10 (TD15 only)
B12	Wagon	All, ex. GER	-	-	KE500-67A10	9	F	95E	NL	128.80	Towing capacity: 1100 kg Approved: ISO Vertical load: 50 kg	60	-
B12	Coupe	All, ex. GER	-	-	KE500-68A12	9	F	95E	NL	93.50	Towing capacity: 1000 kg Approved: ISO Vertical load: 50 kg	60	-
N13	3HB/5HB	GER	-	-	KE500-64M02	9	F	95E	NL	169.40	Towing capacity: 1135 kg Approved: TUV Vertical load: 50 kg	60	-
N13	3HB/5HB	All, ex. GER	-	-	KE500-64M12	9	F	95E	NL	92.90	Towing capacity: 1050 kg Approved: ISO Vertical load: 50 kg	60	-
N13	GTI, 3HB	All, ex. GER	-	-	KE500-64M12	9	F	95E	NL	92.90	Towing capacity: 1050 kg Approved: ISO Vertical load: 50 kg	60	-
N13	Sedan	All, ex. GER	-	-	KE500-67A10	9	F	95E	NL	128.80	Towing capacity: 1100 kg Approved: ISO Vertical load: 50 kg	60	-
N14	3HB	GER	-	-	KE500-63C05DS	9	F	95E	DE	226.60	Towing capacity: 1600 kg Approved: TUV Vertical load: 75 kg	60	-
N14	3HB	All, ex. GER	-	-	KE500-63C10	9	F	95E	NL	121.00	Towing capacity: 1560 kg Approved: ISO Vertical load: 75 kg	60	-
N14	Sedan	GER	-	-	KE500-64C05DS	9	F	95E	DE	230.40	Towing capacity: 1600 kg Approved: TUV Vertical load: 75 kg	60	-
N14	Sedan	All, ex. GER	-	-	KE500-64C10	9	F	95E	NL	118.60	Towing capacity: 1350 kg Approved: ISO Vertical load: 75 kg	60	-
N14	5HB	GER	-	-	KE500-65C05DS	9	F	95A	DE	277.60	Towing capacity: 1600 kg Approved: TUV Vertical load: 75 kg	-	-
N14	5HB	All, ex. GER	-	-	KE500-65C10	9	F	95E	NL	116.20	Towing capacity: 1560 kg Approved: ISO Vertical load: 75 kg	60	-
N15	3HB/5HB, non GTI	All	-	01/00	KE500-0N310	9	F	95E	NL	119.90	Towing capacity: 1560 kg Approved: EURO Vertical load: 75 kg	60	-
N15	Sedan	All	-	01/00	KE500-0N410	9	F	95E	NL	115.40	Towing capacity: 1560 kg Approved: EURO Vertical load: 75 kg	60	-
N16(E)	3HB / 5HB	All	01/00	-	KE500-BM300	9	F	95E	NL	114.90	Towing capacity: 1500 kg Approved: EURO Vertical load: 75 kg	40	-



Exterior

Towing

Model	Specification	Country	From	Until	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Remarks	Fitting Time	Other Information
N16(E)	Sedan	All	04/00	-	KE500-BM400	9	F	95E	NL	114.90	Towing capacity: 1500 kg Approved: EURO Vertical load: 75 kg	40	-
Y10	Wagon	All, ex. GER	-	-	KE500-74R10	9	F	95E	NL	131.50	Towing capacity: 1200 kg Approved: ISO Vertical load: 75 kg	60	-
Y10	Wagon	GER	-	-	KE500-74R05DS	9	F	95E	DE	278.40	Towing capacity: 1600 kg Approved: TUV Vertical load: 75 kg	-	-
Y10	Van	GER	-	-	KE500-80R05DS	9	F	95E	DE	199.70	Towing capacity: 1400 kg Approved: TUV Vertical load: 75 kg	-	-
Y10	Van	All, ex. GER	-	-	KE500-80R10	9	F	95E	NL	149.00	Towing capacity: 1200 kg Approved: ISO Vertical load: 75 kg	60	-
B13	All versions	All, ex. GER	-	-	KE500-70Y10	9	F	95E	NL	142.90	Towing capacity: 1300 kg Approved: ISO Vertical load: 75 kg	90	-
T12	5HB	All, ex. GER	-	-	KE500-D5612	9	F	95E	NL	175.30	Towing capacity: 1200 kg Approved: ISO Vertical load: 50 kg	60	-
T72	5HB	All, ex. GER	-	-	KE500-D5612	9	F	95E	NL	175.30	Towing capacity: 1200 kg Approved: ISO Vertical load: 50 kg	60	-
P10E	Sedan/5HB	GER	-	-	KE500-70J05DS	9	F	95E	DE	254.40	Towing capacity: 1600 kg Approved: TUV Vertical load: 75 kg	60	-
P10E	Sedan/5HB	All, ex. GER	-	-	KE500-70J12	9	F	95E	NL	106.90	Towing capacity: 1600 kg Approved: ISO Vertical load: 75 kg	60	-
P11E	Sedan/5HB	GER	06/96	06/99	KE500-2F010	9	F	95E	HU	109.50	Towing capacity: 1650 kg Approved: EURO Vertical load: 75 kg	45-60	-
P11E	Sedan/5HB	All, ex. GER	06/96	06/99	KE500-2F110	9	F	95E	NL	109.50	Towing capacity: 1650 kg Approved: EURO Vertical load: 75 kg	45-60	-
P11E	-	-	06/99	-	KE500-9F900	9	F	95E	NL	117.10	Towing capacity: 1650 kg Approved: EURO Vertical load: 75 kg	60	-
W10	All versions	All, ex. GER	-	-	KE500-80N10	9	F	95E	NL	138.20	Towing capacity: 1750 kg Approved: ISO Vertical load: 75 kg	60	-
WP11	All versions	All	02/98	-	KE500-8F810	9	F	95E	DE	125.50	Towing capacity: 1700 kg Approved: EURO Vertical load: 75 kg	60	-
M11	All versions	GER	-	-	KE500-44R00	9	F	95A	NL	209.30	Towing capacity: 1500 kg Approved: TUV Vertical load: 75 kg	90	-
M11	All versions	All, ex. GER	-	-	KE500-44R10	9	F	95E	NL	150.40	Towing capacity: 1500 kg Approved: ISO Vertical load: 75 kg	90	-
V10M	-	All	05/00	-	KE500-BU000	9	F	95E	NL	114.90	Towing capacity: 1500 kg Approved: EURO Vertical load: 75 Kg	45	-
C23M	Serena	All	12/94	-	KE500-20C10	9	F	95E	NL	150.50	Towing capacity: 1650 kg Approved: EURO Vertical load: 75 kg	45	-
C23M	Vanette E	All	-	-	KE500-20C10	9	F	95E	NL	150.50	Towing capacity: 1650 kg Approved: EURO Vertical load: 75 kg	45	-
C23M	Serena GA16 / LD23 Vanette E	-	-	-	KE500-20C14	9	F	95E	NL	161.10	Towing capacity: 1650 kg Approved: EURO Vertical load: 80 kg	-	• Bracket kit KE500-20C10S3
C23M	Serena SR20	-	-	-	KE500-20C12	9	F	95E	NL	156.60	Towing capacity: 1650 kg Approved: EURO Vertical load: 80 kg	-	• Bracket kit KE500-20C10S2
C23M	Vanette Cargo	All	-	-	KE500-29C10	9	F	95E	NL	162.40	Towing capacity: 1650 kg Approved: EURO Vertical load: 75 kg	45	-
D21	Single/King Cab, 2WD	All, ex. GER	-	-	KE500-01G10	9	F	95E	NL	164.20	Towing capacity: 1500 kg Approved: ISO Vertical load: 75 kg	60	-
D21	Single/King Cab, 4WD	All, ex. GER	-	-	KE500-31G10	9	F	95E	NL	164.20	Towing capacity: 2000 kg Approved: ISO Vertical load: 75 kg	60	-
D21	Single/King Cab, 4WD	All, ex. GER	-	-	KE500-31G15	9	F	95E	NL	164.20	Towing capacity: 750 kg Approved: - Vertical load: 75 kg	60	• For step bumper



Exterior

Towing

Model	Specification	Country	From	Until	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Remarks	Fitting Time	Other Information
D21	Double cab, 2WD	All, ex. GER	-	-	KE500-21G10	9	F	95E	NL	164.20	Towing capacity: 1500 kg Approved: ISO Vertical load: 75 kg	60	-
D21	Double cab, 4WD	All, ex. GER	-	-	KE500-41G10	9	F	95E	NL	171.20	Towing capacity: 2000 kg Approved: ISO Vertical load: 75 kg	60	-
D22	Single/King Cab, 2WD	All	-	-	KE500-3S211	9	F	95E	NL	171.10	Towing capacity: 1500 kg Approved: EURO Vertical load: 65 kg	60	-
D22	Double cab, 2WD	All	-	-	KE500-3S215	9	F	95E	NL	171.10	Towing capacity: 1500 kg Approved: EURO Vertical load: 65 kg	60	-
D22	Single/King Cab, 4WD	All	-	-	KE500-3S410	9	F	95E	NL	171.10	Towing capacity: 2300 kg Approved: EURO Vertical load: 100 kg	60	-
D22	Double cab, 4WD	All	-	-	KE500-3S415	9	F	95E	NL	171.10	Towing capacity: 2300 kg Approved: EURO Vertical load: 100 kg	60	-
D22	Single/King Cab, 4WD	All	05/99	-	KE500-3S421	9	F	95E	NL	190.00	Towing capacity: 2800 kg Approved: EURO Vertical load: 100 kg	150-180	-
D22	Double cab, 4WD	All	05/99	-	KE500-3S426	9	F	95E	NL	190.00	Towing capacity: 2800 kg Approved: EURO Vertical load: 100 kg	150-180	-
160	All versions	All	-	-	KE500-C8211	9	F	95E	NL	184.60	Towing capacity: 3500 kg Approved: EURO Vertical load: 100 kg	60	• W/o rockinger coupling option
160	All versions	All	-	-	KE500-C8216	9	F	95E	NL	217.20	Towing capacity: 3500 kg Approved: EURO Vertical load: 100 kg	60	• With rockinger coupling option: KE500-99900
260	All versions	All	-	-	KE500-C8211	9	F	95E	NL	184.60	Towing capacity: 3500 kg Approved: ISO/TUV Vertical load: 100 kg	60	• W/o rockinger coupling option
260	All versions	All	-	-	KE500-C8216	9	F	95E	NL	217.20	Towing capacity: 3500 kg Approved: ISO/TUV Vertical load: 100 kg	60	• With rockinger coupling option: KE500-99900
Y60	All versions	GER	-	-	KE500-20J00	9	F	95E	NL	187.30	Towing capacity: 3500 kg Approved: TUV Vertical load: 100 kg	60	• W/o rockinger coupling option
Y60	All versions	GER	-	-	KE500-20J06	9	F	95A	NL	257.20	Towing capacity: 3500 kg Approved: TUV Vertical load: 100 kg	60	• With rockinger coupling option: KE500-99900 • Other bumper required: KE545-20J00
Y60	All versions	All, ex GER	-	-	KE500-20J12	9	F	95E	NL	175.70	Towing capacity: 3500 kg Approved: EURO Vertical load: 100 kg	60	• W/o rockinger coupling option
Y60	All versions	All, ex. GER	-	-	KE500-20J16	9	F	95E	NL	218.20	Towing capacity: 3500 kg Approved: ISO Vertical load: 100 kg	60	• With rockinger coupling option: KE500-99900 • Other bumper required: KE545-20J00
Y61	All versions	All	-	-	KE500-VB010	9	F	95E	DE	168.80	Towing capacity: 3500 kg Approved: EURO Vertical load: 140 kg	60	• Without rockinger coupling option.
Y61	All versions	All	-	-	KE500-VB000	9	F	95E	DE	177.60	Towing capacity: 3500 kg Approved: EURO Vertical load: 140kg	90	• With rockinger coupling option: KE500-99901 • Other bumper required: KE545-VB500
R20	All versions	All	02/93	-	KE500-0X000	9	F	95E	NL	126.60	Towing capacity: 2800 kg Approved: EURO Vertical load: 115 kg	30	• Without rockinger coupling option.
R20	All versions	All	02/93	-	KE500-0X010	9	F	95A	NL	172.00	Towing capacity: 2800 kg Approved: EURO Vertical load: 115 kg	30	• With rockinger coupling option: KE500-99901
T30	-	All	06/01	-	KE500-8H000	9	F	95E	DE	188.00	Towing capacity: ??? kg Approved: EURO Vertical load: ??? kg	60	-
WD21	All versions	All, ex. GER	07/92	-	KE500-22G11	9	F	95E	NL	136.20	Towing capacity: 2500 kg Approved: ISO Vertical load: 100 kg	60	-
R50	All versions	All	10/97	-	KE500-0W710	9	F	95E	DE	150.60	Towing capacity: 2300 kg Approved: EURO Vertical load: 100 kg	45	-



Exterior

Towing

Model	Specification	Country	From	Until	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Remarks	Fitting Time	Other Information
E24	All versions	GER	-	-	KE500-08N00	9	F	95E	NL	184.40	Towing capacity: 2000 kg Approved: TUV Vertical load: 75 kg	60	-
E24	All versions	All, ex. GER	-	-	KE500-08N12	9	F	95E	NL	161.90	Towing capacity: 1500 kg Approved: ISO Vertical load: 75 kg	60	-
C220	All versions	GER	-	-	KE500-G4501	9	F	95E	NL	143.90	Towing capacity: 1100 kg Approved: TUV Vertical load: 50 kg	60	-
C220	All versions	All, ex. GER	-	-	KE500-G4511	9	F	95E	NL	143.90	Towing capacity: 1100 kg Approved: ISO Vertical load: 50 kg	60	-
GC22	Petrol (cat.)	GER	-	-	KE500-17C01	9	F	95E	NL	183.10	Towing capacity: 1650 kg Approved: TUV Vertical load: 75 kg	60	-
GC22	Petrol (non-cat.), diesel	GER	-	-	KE500-G5101	9	F	95E	NL	170.30	Towing capacity: 1650 kg Approved: TUV Vertical load: 50 kg	60	-
GC22	Petrol (non-cat.), diesel	All, ex. GER	-	-	KE500-G5111	9	F	95E	NL	135.20	Towing capacity: 1200 kg Approved: ISO Vertical load: 75 kg	60	-
F22	All versions	All, ex. GER	12/89	-	KE500-T7010	9	F	95E	NL	140.40	Towing capacity: 1800 kg Approved: ISO Vertical load: 50 kg	60	
F23	All versions	All, ex. GER	-	-	KE500-3T010	9	F	95E	NL	146.80	Towing capacity: 1800 kg Approved: ISO Vertical load: 50 kg	60	• Towbar replaces the rear bumper
TL0	TL75.28, TL90.32, TL110.35	All	-	-	KE500-F3000	9	F	95E	DE	180.60	Towing capacity: 3500 kg Approved: EURO Vertical load: 150 kg	30	• Not applicable for large bumper
Trade 75	2.0 / 2.3 Van	All	01/95	-	KE500-20T10	9	F	95E	DE	156.50	Towing capacity: 1500 kg Approved: EURO Vertical load: 75 kg	30	
Trade 314	KF 2.8 Van	All ex. GER	12/86	07/93	KE500-28T10	9	F	95E	NL	167.40	Towing capacity: 1500 kg. Approved: ISO Vertical load: 75 kg	120	
Trade 100	3.0 Chassis/cabin	All	01/95	-	KE500-30T05	9	F	95E	DE	191.60	Towing capacity: 2000 kg Approved: EURO Vertical load: 100 kg	30	• With mounting plate for rockinger coupling option: KE500-99901
Trade 100	3.0 Van	HOL, GER	01/95	-	KE500-30T00	9	F	95E	DE	226.40	Towing capacity: 2000 kg Approved: EURO Vertical load: 100 kg	210	• With mounting plate for rockinger coupling option: KE500-99901