

In car entertainment

Audio

Sony non genuine Audio range

- All Sony units are with regard to specification & features, etc. in line with the Aftermarket product available from those suppliers.
- To install the audio units in Nissan vehicles, NENV has made available the required harnesses (S10 / NS16) to enable a quick and quality installation.
- Technical support, service and warranty is supported through the national Sony Distributors, a standard warranty of one year is applicable, extended arrangements should remain valid.
- 1 DIN is upper opening.
- 2 DIN opening only for selected range of vehicles (CA33, D22, T30 & Y61).

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|-------------------------------|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette XR-L210 | KE281-89513 | 9 | R | 96B | NL | 138.60 | 04/01 |

RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON
 CASSETTE: Auto reverse mechanism • Automatic tuner activation
 AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Key illumination colour: amber • Connector: ISO lead type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---------------------------------|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette XR-L210GN | KE281-89514 | 9 | R | 96B | NL | 138.60 | tbc |

RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON
 CASSETTE: Auto reverse mechanism • Automatic tuner activation
 AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Key illumination colour: green • Connector: ISO lead type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--------------------------------|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette XR-CA310 | KE281-89511 | 9 | R | 96B | NL | 154.55 | 04/01 |

RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON
 CASSETTE: Auto reverse mechanism • Automatic tuner activation
 CD/MD MANAGEMENT: • Repeat track • Random play
 AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Key illumination colour: amber • Connector: ISO lead type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

In car entertainment

Audio

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette XR-CA310GN | KE281-89512 | 9 | R | 96B | NL | 154.55 | 04/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CASSETTE: Auto reverse mechanism • Automatic tuner activation CD/MD MANAGEMENT: • Repeat track • Random play AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: green • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette XR-L500 | KE281-89510 | 9 | R | 96B | NL | 192.44 | 05/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CASSETTE: Full logic control • Auto reverse mechanism • Automatic tuner activation AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel CONNECTABLE WITH: IR Card Commander RM-X114 OTHERS: • Key illumination colour: switchable amber/green • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette XR-M510 | KE281-89508 | 9 | R | 96B | NL | 335.03 | 04/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CASSETTE: Full logic control • Auto reverse mechanism • Automatic tuner activation • Dolby B CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Dynamic bass • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Security code CONNECTABLE WITH: IR Card Commander RM-X95 OTHERS: • Key illumination colour: red • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette XR-CA600 | KE281-89509 | 9 | R | 96B | NL | 214.38 | 04/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CASSETTE: • Auto reverse mechanism • Automatic tuner activation CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: switchable amber/green • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

In car entertainment

Audio

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/CD player CDX-CA650 | KE281-89502 | 9 | R | 96B | NL | 252.27 | 04/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: switchable amber/green • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/CD player CDX-L360 | KE281-89504 | 9 | R | 96B | NL | 188.46 | 04/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: amber • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/CD player CDX-L360GN | KE281-89505 | 9 | R | 96B | NL | 188.46 | 04/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: green • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/CD player CDX-L450 | KE281-89524 | 9 | R | 96B | NL | 0.00 | 04/01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Dynamic bass • Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: switchable amber/green • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 | |



In car entertainment

Audio

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------|------|------|-----|--------|--------------|----------------|
| Radio/CD player CDX-L550 | KE281-89503 | 9 | R | 96B | NL | 222.36 | 04/'01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: switchable amber/green • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------|------|------|-----|--------|--------------|----------------|
| Radio/CD player CDX-L550X | KE281-89523 | 9 | R | 96B | NL | 0.00 | 04/'01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: Full logic CD mechanism • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: red • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------|------|------|-----|--------|--------------|----------------|
| Radio/CD player CDX-CA850 | KE281-89501 | 9 | R | 96B | NL | 374.92 | 06/'01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel CONNECTABLE WITH: IR Card Commander RM-X113 OTHERS: • Connector: ISO lead type • Remote control (2x) included • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------|------|------|-----|--------|--------------|----------------|
| Radio/CD player CDX-M670 | KE281-89500 | 9 | R | 96B | NL | 458.68 | 05/'01 |
| RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel CONNECTABLE WITH: IR Card Commander RM-X111 OTHERS: • Key illumination colour: red • Connector: ISO lead type • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 | | | | | | | |



| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|-------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 |

In car entertainment

Audio

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/CD player CDX-M770 | KE281-89522 | 9 | R | 96B | NL | | 05/01 |
| <p>RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CD PLAYER: • Dual 1-Bit D/A Converters • Random play • Repeat track • CD-R playback ability CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel CONNECTABLE WITH: IR Card Commander RM-X111 OTHERS: • Key illumination colour: red • Connector: ISO lead type</p> <p>• Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964</p> | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/Mini Disc player MDX-CA580 | KE281-89506 | 9 | R | 96B | NL | 198.40 | 04/01 |
| <p>RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON MD PLAYER: • Random play • Repeat track CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Dynamic bass • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: amber • Connector: ISO lead type</p> <p>• Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964</p> | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/Mini Disc player MDX-CA580GN | KE281-89507 | 9 | R | 96B | NL | 198.40 | 04/01 |
| <p>RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON MD PLAYER: • Random play • Repeat track CD/MD MANAGEMENT: • Random play • Repeat track AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Dynamic bass • Front/Rear Pre-amp output • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: green • Connector: ISO lead type</p> <p>• Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964</p> | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 20 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| CD changer CDX-T67 | KE281-89515 | 9 | R | 96B | NL | 133.76 | 07/01 |
| <p>• 6 CD cartridge for continuous play. • CD-R playback ability • 1-Bit D/A Converter • Size: 234.4 x 60 x 159.5 mm.</p> | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 30 | |



In car entertainment

Audio

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| CD changer CDX-444RF | KE281-89516 | 9 | R | 96B | NL | 169.60 | 04/01 |
| <ul style="list-style-type: none"> • 10 CD cartridge for continuous play. • CD-R playback ability • 1-Bit D/A Converter • Size: 262.2 x 90 x 181.5 mm. | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 30 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|--|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/cassette player + CD Changer KPCA310 | KE281-89520 | 9 | R | 96B | NL | 198.40 | 04/01 |
| <p>Radio/cassette player XR-CA310: RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CASSETTE: Auto reverse mechanism • Automatic tuner activation CD/MD MANAGEMENT: • Repeat track • Random play AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: amber • Connector: ISO lead type</p> <ul style="list-style-type: none"> • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 <p>CD-changer CDX-646: • 10 CD cartridge for continuous play. • CD-R playback ability • 1-Bit D/A Converter</p> | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 60 | |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---|-------------------|-----------------------------------|------|-------|-------------------|--------------|----------------|
| Radio/cassette player + DC Changer KPCA310GN | KE281-89521 | 9 | R | 96B | NL | 198.40 | 04/01 |
| <p>Radio/cassette player XR-CA310GN: RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON CASSETTE: Auto reverse mechanism • Automatic tuner activation CD/MD MANAGEMENT: • Repeat track • Random play AUDIO: Maximum output: 4 x 45W • Speakers: 2/4 • Bass/Treble control • Dynamic bass • Telephone mute ANTI THEFT SYSTEM: Removeable front panel OTHERS: • Key illumination colour: green • Connector: ISO lead type</p> <ul style="list-style-type: none"> • Harness for vehicles with NS16 connection: B8375-89961 • Harness for vehicles with S10 connection: B8375-89964 <p>CD-changer CDX-646: • 10 CD cartridge for continuous play. • CD-R playback ability • 1-Bit D/A Converter</p> | | | | | | | |
| Application | Specification | Countries | From | Until | Other Information | Fitting Time | |
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 60 | |



In car entertainment

Audio

| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette player + CD Changer KPCA410 | KE281-89518 | 9 | R | 96B | NL | 211.84 | 04/01 |

Radio/cassette player XR-CA410:
 RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON
 CASSETTE: • Auto reverse mechanism • Automatic tuner activation
 CD/MD MANAGEMENT: • Random play • Repeat track
 AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Rear Pre-amp output • Telephone mute
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Key illumination colour: amber • Connector: ISO lead type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964

CD-changer CDX-646:
 • 10 CD cartridge for continuous play.
 • CD-R playback ability
 • 1-Bit D/A Converter

| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|----------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 60 |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette player + CD Changer KPCA410GN | KE281-89519 | 9 | R | 96B | NL | 211.84 | 04/01 |

Radio/cassette player XR-CA410GN:
 RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON
 CASSETTE: • Auto reverse mechanism • Automatic tuner activation
 CD/MD MANAGEMENT: • Random play • Repeat track
 AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Rear Pre-amp output • Telephone mute
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Key illumination colour: green • Connector: ISO lead type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964

CD-changer CDX-646:
 • 10 CD cartridge for continuous play.
 • CD-R playback ability
 • 1-Bit D/A Converter

| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|----------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 60 |



| Description | Part Number | A-DC | E-DC | DC | Origin | E-RRP (Euro) | Start Of Sales |
|---|-------------|------|------|-----|--------|--------------|----------------|
| Radio/cassette player + CD Changer KPCA600 | KE281-89517 | 9 | R | 96B | NL | 229.12 | 04/01 |

Radio/cassette player XR-CA600:
 RADIO: Wave-bands: FM/MW/LW • 24 Preset stations: 18FM, 6MW/LW • Auto store • RDS-EON
 CASSETTE: • Auto reverse mechanism • Automatic tuner activation
 CD/MD MANAGEMENT: • Random play • Repeat track
 AUDIO: Maximum output: 4 x 50W • Speakers: 2/4 • Bass/Treble control • Loudness • Rear Pre-amp output • Telephone mute
 ANTI THEFT SYSTEM: Removeable front panel
 OTHERS: • Key illumination colour: switchable amber/green • Connector: ISO lead type

- Harness for vehicles with NS16 connection: B8375-89961
- Harness for vehicles with S10 connection: B8375-89964

CD-changer CDX-646:
 • 10 CD cartridge for continuous play.
 • CD-R playback ability
 • 1-Bit D/A Converter

| Application | Specification | Countries | From | Until | Other Information | Fitting Time |
|----------------|-------------------|-----------------------------------|------|-------|-------------------|--------------|
| General | For 1 DIN opening | Fra, Ger, Hol, Ita, Spa, Swi & UK | - | - | | 60 |

