

Exterior

Wheels

Vehicle specific road wheels

- Exclusive Nissan design.
- Nuts, centre caps or ornaments are available as spare parts.
- Unless mentioned otherwise, the vehicle specific road wheels have not been TUV approved and do not have ABE.

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Super S	40300-4F785	3	E	TMB	BE	183.10	04/92
• 5-spoke • 13 x 5J O/S 45 • incl. nuts + centre cap							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
K11E	-	All	08/92	02/98	• Tyre size: 155/70R13, 165/65R13, 175/60R13 • Lockable wheel nuts: KE409-89917	-	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Super S II	KE409-5F925	3	E	TMB	GB	144.30	01/96
• 4-spoke • 13 x 5J O/S 45 • incl. nuts + ornament							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
K11E	-	All	08/92	02/98	• Tyre size: 155/70R13, 165/65R13, 175/60R13 • Lockable wheel nuts: KE409-89917	-	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Altima	40300-6F625	3	E	TM#	GB	183.10	04/98
• 5-spoke • 14 x 5J O/S 45 • Centre cap needs to be ordered separately.							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
K11E	-	All	02/98	07/00	• Tyre size: 165/60R14 • Lockable wheel nuts: KE409-89927	40315-1E011	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Altima, centre cap	40315-1E011	1	E	TMZ	JP	24.40	02/94
-							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
K11E	-	All	02/98	07/00	-	-	-
P10E	-	All	06/90	06/96	• Tyre size: 195/60R15, 185/65R15 • Lockable wheel nuts: KE409-89927	-	-
W10	-	All	07/90	02/98	-	-	-

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sporty 14"	40300-1F526	3	E	TM#	GB	143.21	08/00
• 5-spoke • 14 x 5J O/S 45 • Centre cap (P# 40315-1F520) needs to be ordered separately.							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
K11E	-	All	07/00	-	• Tyre size: 165/60R14 • Lockable wheel nuts: KE409-89917	40315-1F520	15

Exterior

Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sporty, centre cap	40315-1F520	3	E	TMZ	GB	26.40	08/'00
-							
Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
K11E	-	All	07/'00	-	-	-	-



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Luxury 15"	40300-9F525	3	E	TM#	GB	158.90	06/'99
• 6-double spoke design • 15 x 6J O/S 45 • Ornament needs to be ordered separately							
Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
N16(E)	-	All	01/'00	-	• Tyre size: 195/60R15, 185/65R15 • Lockable wheel nuts: KE409-89927	• 40342-2F400 (silver) • 40342-9F500 (black)	15
P11E	-	All	06/'99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927	• 40342-2F400 (silver) • 40342-9F500 (black)	15
WP11	-	All	06/'99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89927	• 40342-2F400 (silver) • 40342-9F500 (black)	15



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sporty 15"	40300-BM525	3	E	TM#	GB	158.90	06/'99
• 5 spoke • 15 x 6J O/S 45 • Centre cap needs to be ordered separately							
Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
N16(E)	-	All	01/'00	-	• Tyre size: 195/60R15, 185/65R15 • Lockable wheel nuts: KE409-89917	40315-BM503	15
P11E	-	All	06/'99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89917	40315-BM500	15
WP11	-	All	06/'99	-	• Tyre size: 185/65R15, 195/60R15 • Lockable wheel nuts: KE409-89917	40315-BM500	15



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sporty 15", centre cap	40315-BM503	3	5	NA0	GB	29.70	06/'99
-							
Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
N16(E)	-	All	01/'00	-	-	-	-



Exterior

Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Altima	40300-3F025	3	E	TMB	BE	193.10	02/94

• 5-spoke • 14 x 6J O/S 45 • Centre cap needs to be ordered separately.

Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P10E	-	All	06/90	06/96	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89917	40315-1E011	15
W10	-	All	07/90	02/98	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89917	40315-1E011	15



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
GT	40300-96J85	3	E	TMB	BE	203.10	06/92

• 6-spoke • 14 x 6J O/S 45 • incl. ornament

Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P10E	-	All	06/90	06/96	• Tyre size: 185/65R14, 195/60R14 • Lockable wheel nuts: KE409-89927	-	15
W10	-	All	07/90	02/98	• Tyre size: 195/65R14 • Lockable wheel nuts: KE409-89927	-	15



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sport GT	40300-2F525	3	E	TM#	BE	170.40	12/95


• Centre cap needs to be ordered separately.

Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P11E	-	All	06/96	06/99	• Tyre size: 195/60R15, 185/65R15 • Lockable wheel nuts: KE409-89917	40315-2F510	15
WP11	-	All	02/98	06/99	• Tyre size: 195/60R15, 185/65R15 • Lockable wheel nuts: KE409-89917	40315-2F510	15



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sport GT, centre cap	40315-2F510	3	5	NA0	ES	8.65	12/95

Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P11E	-	All	06/96	06/99	-	-	15
WP11	-	All	02/98	06/99	-	-	-



Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Elite SE	40300-2F425	3	E	TM#	BE	186.70	12/95

• 6-spoke 15" O/S 45 (polished) • incl. nuts • Centre cap needs to be ordered separately.

Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P11E	-	All	06/96	06/99	• Tyre size: 195/60R15, 185/65R15 • Lockable wheel nuts: KE409-89917	40315-2F410	15
WP11	-	All	02/98	06/99	• Tyre size: 195/60R15, 185/65R15 • Lockable wheel nuts: KE409-89917	40315-2F410	15



Exterior

Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Elite SE, centre cap	40315-2F410	3	5	NA0	ES	13.20	12/95
-							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P11E	-	All	06/96	06/99	-	-	-
WP11	-	All	02/98	06/99	-	-	-

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Spirit	40300-2F426	3	E	TM#	BE	165.80	12/95

• 5-spoke 14" O/S 45 • incl. nuts • Ornament needs to be ordered separately.



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P11E	Non GTI	All	06/96	09/97	• Tyre size: 175/70R14, 185/65R14 • Lockable wheel nuts: KE409-89927	40342-2F400	15


Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Luxury 15", ornament	40342-9F500	4	E	TMZ	ES	2.00	03/00
-							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
P11E	black	All	06/96	-	-	-	-
V10M	-	All	05/00	-	-	-	-

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Libra	KE409-40U00	9	E	TMB	CZ	140.70	03/95


• TUV approved • ABE approved • 5-spoke • 15 x 6.5J O/S 38



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
A32	-	All	10/94	01/00	• Tyre size: 195/65R15, 205/65R15 • Lockable wheel nuts: KE409-89912	-	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
QX	40300-04U26	1	E	TM#	JP	447.80	09/94

• 7-spoke • 15 x 6.5J O/S 45 • incl. wheel nuts • Ornament needs to be ordered separately.



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
A32	-	All	10/94	01/00	• Tyre size: 195/65R15, 205/65R15 • Lockable wheel nuts: KE409-89927	40342-40U15	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
QX, ornament	40342-40U15	1	E	TMZ	JP	10.40	09/94
-							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
A32	-	All	-	01/00	-	-	-

Exterior

Wheels

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sporty 16"	40300-2Y627	1	E	TM#	JP	206.50	03/00
• 5-spoke • 16 x 6.5J O/S 45 • incl. wheel nuts • Ornament needs to be ordered separately.							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
CA33	-	All	01/00	-	• Tyre size: 215/55R16 • Lockable wheel nuts: KE409-89927 (closed type) KE409-89917 (open type)	40343-5P020	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Sporty 16", ornament	40343-5P020	1	E	TMZ	JP	6.35	03/00

Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
CA33	-	All	01/00	-	-	-	-

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Luxury 15"	40300-BU025	4	E	TM#	ES	177.00	05/00
• 5-spoke • 15 x 6J O/S 40 • incl. wheel nuts • Ornament needs to be ordered separately.							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
V10M	-	All	05/00	-	• Tyre size: 195/65R15 • Lockable wheel nuts: KE409-89927 (closed type)	40342-9F500	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Ambience 16"	40300-4U125	1	E	TM#	ES	199.00	05/00
• 5-spoke • 16 x 6.5J O/S 45 • incl. wheel nuts • Ornament needs to be ordered separately.							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
V10M	-	All	05/00	-	• Tyre size: 205/55R16 • Lockable wheel nuts: KE409-89927 (closed type)	40343-21U10	15

Description	Part Number	A-DC	E-DC	DC	Origin	E-RRP (Euro)	Start Of Sales
Ambience 16", ornament	40343-21U10	1	E	TM#	JP	34.20	08/00
• For Ambience 16" alloy wheel							



Application	Specification	Countries	From	Until	Remarks	Subkit	Fitting Time
V10M	-	All	05/00	-	-	-	-